# **COUNTRY E 2020**



Late with clover

Intensive cutting and grazing on fresh mineral sites with good nutrient supply

#### **Profile**

Intermediate and late English Ryegrass varieties as well as White clover provide high-energy forage. Timothy increases the winter hardiness of the mixture, which is suitable for new sowings and reseeding.

- ✓ High energy density
- ✓ Flexible in use
- ✓ Winterhardy Timothy
- ✓ White clover for N-fixation



## Components

| 45% | Lolium perenne (late)<br>Valerio, Sherlock            |
|-----|---|
| 40% | Lolium perenne (intermediate) Explosion, Euroconquest |
| 10% | Phleum pratense<br>Radde                              |
| 5%  | Trifolium repens<br>Bianca, Liflex                    |



+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

## Sowing pattern

New sowing, Overseeding

## Locations

| Dry                 | + +   |
|---------------------|-------|
| Normal              | + + + |
| Wet                 |       |
| Peat Soil           |       |
| Altitude            |       |
| Usage               |       |
| Grazing             |       |
| Grazing and cutting | + + + |
| Cutting             | + + + |

## **Cultivation notes**

| New sowing                          | 35 - 40 kg/ha                           |
|-------------------------------------|---|
| Overseeding                         | 20 - 25 kg/ha                           |
| Overseeding, several times per year | 7 - 10 kg/ha                            |
| Usage per year                      | 4 - 5                                   |
| Usage                               | late, with clover, Dynaseed, Milk Index |

All specified informations, recommendations and representations mentioned here are made to the best of our knowledge and belief, but



without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG excludes adhesion for damage or claims for damages, resulting of the use for the variety specified in this description. Mixture compositions may change if individual varieties are not available. As of 07/2023. Subject to change without notice.

