

Profile

English ryegrass with intermediate and late maturity as well as White clover provide high use elasticities and energy densities. The White clover additionally fixes atmospheric nitrogren and increases the protein content of the forage. The mixture is universally usable for reseeding, new sowings, field forage or undersowing.

- ✓ High energy density
- ✓ Flexible in use
- ✓ Universally usable
- ✓ White clover for N-fixation



Components

50%	Lolium perenne (intermediate) Euroconquest, Explosion
40%	Lolium perenne (late) Sherlock, Valerio
10%	Trifolium repens Bianca, Liflex

If individual varieties are not available, they are replaced by equivalent ones.

Sowing pattern

New sowing, Overseeding, Undersowing, arable forage use



Locations

Dry	
Normal	
Wet	
Peat Soil	
Altitude	

Usage

Coago	
Grazing	
Grazing and cutting	
Cutting	

^{+++ =} highly suitable | ++ = suitable | + = conditionally suitable | - = not given

Cultivation notes

New sowing	40 kg/ha	
Overseeding	20 - 25 kg/ha	
Overseeding, several times per year	7 - 10 kg/ha	
Undersowing	15 kg/ha	
Usage per year	4 - 6	
Usage	Medium late, with clover, Dynaseed, Suita	ble for undersown crops

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.

