



COUNTRY E 2025

Special

Best forage quality on difficult sites: dry, cold, peat soils and low mountain ranges

Profile

This mixtures is particularly suitable for difficult sites through the use of Meadow fescue and Timothy for increased winterhardiness. High persistency and sward density is ensured by Smooth-stalked meadow grass and English ryegrass. On ryegrass-unsecure sites, the mixture is suitable for new sowings. Just suitable for reseeding, if there are large gaps in the sward.

- ✓ Winterhardy Timothy and Meadow fescue
- ✓ High sward density through Smooth-stalked meadow grass
- ✓ For ryegrass-unsecure sites

Components

40%	Festuca pratensis Baltas, Schwetra
25%	Phleum pratense Radde
15%	Poa pratensis Limagie
10%	Lolium perenne (intermediate) Explosion
10%	Lolium perenne (late) Valerio

If individual varieties are not available, they are replaced by equivalent ones.

Sowing pattern

New sowing, Overseeding (only for high gap ratios in the sward)

Locations

Dry	<div><div>+</div><div>+</div><div>+</div></div>
Normal	<div><div>+</div><div>+</div><div></div></div>
Wet	<div><div>+</div><div>+</div><div></div></div>
Peat Soil	<div><div>+</div><div>+</div><div>+</div></div>
Altitude	<div><div>+</div><div>+</div><div></div></div>

Usage

Grazing	<div><div>+</div><div></div><div></div></div>
Grazing and cutting	<div><div>+</div><div>+</div><div></div></div>
Cutting	<div><div>+</div><div>+</div><div>+</div></div>

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

Cultivation notes

New sowing	35 - 40 kg/ha
Overseeding	15 - 20 kg/ha
Overseeding, several times per year	7 - 10 kg/ha
Usage per year	3 - 4

All specified informations, recommendations and representations mentioned here are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG excludes adhesion for damage or claims for damages, resulting of the use for the variety specified in this description. Mixture compositions may change if individual varieties are not available. As of 07/2023. Subject to change without notice.