



COUNTRY G 2003

Dry sites

Suitable for dry sites

Profile

Early and intermediate English ryegrass provides particularly high yields in the first cut. Due to the better use of winter moisture, the mixture is well suited for dry sites. Moreover, the drought tolerant Festulolium improves the yield capacity. The mixture can be used for overseeding on dry sites.

- ✔ High yields in the first cut
- ✔ High share of early English ryegrass
- ✔ Drought tolerant Festulolium

Components

50%	Lolium perenne (early) Karatos, Mirtello
30%	Lolium perenne (intermediate) Botond, Trivos
20%	Festulolium Fedoro

If individual varieties are not available, they are replaced by equivalent ones.

Sowing pattern

New sowing, Overseeding

Locations

Dry	<div><div>+</div><div>+</div><div>+</div></div>
Normal	<div><div>+</div><div>+</div><div></div></div>
Wet	<div><div>+</div><div></div><div></div></div>
Peat Soil	<div><div>+</div><div></div><div></div></div>
Altitude	<div><div>+</div><div>+</div><div></div></div>

Usage

Grazing	<div><div>+</div><div>+</div><div></div></div>
Grazing and cutting	<div><div>+</div><div>+</div><div>+</div></div>
Cutting	<div><div>+</div><div>+</div><div>+</div></div>

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

Cultivation notes

New sowing	40 kg/ha	
Overseeding	20 - 25 kg/ha	
Overseeding, several times per year	7 - 10 kg/ha	
Usage per year	4 - 5	

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.