



## COUNTRY G 2010

### Universal with clover

Broad site suitability for cutting and grazing

### Profile

This mixture contains high percentages of Meadow fescue and Timothy for an improved winterhardiness as well as English ryegrass with peat soil suitability. The included Smooth-stalked meadow grass provides a dense sward and the white clover increases the elasticity of use.

The white clover seeds are treated with DSV's DynaSeed LegumeMaxx, which contains among others species-specific bacteria. [DynaSeed LegumeMaxx](#) demonstrably and significantly improves nitrogen fixation, root development, and thus yield.

- ✓ Winterhardiness through Timothy and Meadow fescue
- ✓ High sward density
- ✓ White clover for N-fixation
- ✓ Peat soil suitability



## Components






|     |   |
|-----|---|
| 35% | Festuca pratensis<br>Baltas, Liherold   |
| 20% | Lolium perenne (intermediate)<br>Trivos |
| 15% | Lolium perenne (early)<br>Mirtello      |
| 15% | Phleum pratense<br>Radde                |
| 10% | Poa pratensis<br>Liblue                 |
| 5%  | Trifolium repens<br>Bianca, Liflex      |

If individual varieties are not available, they are replaced by equivalent ones.


## Sowing pattern

New sowing

## Locations

|           |   |
|-----------|---|
| Dry       |  |
| Normal    |  |
| Wet       |  |
| Peat Soil |  |
| Altitude  |  |

## Usage

|                     |   |
|---------------------|---|
| Grazing             |  |
| Grazing and cutting |  |
| Cutting             |  |

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

## Cultivation notes

|                |               |
|----------------|---------------|
| New sowing     | 35 - 40 kg/ha |
| Overseeding    | 20 - 25 kg/ha |
| Usage per year | 3 - 4         |

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.