



COUNTRY G 2013

Hay and silage for dry sites

Intensive cutting and grazing for dry areas

Profile

The high proportions of *Dactylis glomerata* contained in this mixture ensure yields on dry sites. In combination with early and intermediate *Lolium perenne*, winter moisture is optimally utilized. Extensive management is possible due to the content of white clover.

The white clover seeds are treated with DSV's DynaSeed LegumeMaxx, which contains among others species-specific bacteria. [DynaSeed LegumeMaxx](#) demonstrably and significantly improves nitrogen fixation, root development, and thus yield.

- ✓ Drought tolerant *Dactylis glomerata* and *Festulolium*
- ✓ *Poa pratensis* for a dense sward



Components

45%	Dactylis glomerata Revolin, Lidacta
20%	Festulolium Fedoro
10%	Lolium perenne (early) Karatos
10%	Lolium perenne (intermediate) AstonHockey
10%	Festuca rubra Rafael
5%	Trifolium repens Bianca, Liflex

If individual varieties are not available, they are replaced by equivalent ones.

Sowing pattern

New sowing

Locations

Dry	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Normal	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
Wet	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Peat Soil	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Altitude	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>

Usage

Grazing	<input checked="" type="radio"/> <input type="radio"/> <input type="radio"/>
Grazing and cutting	<input checked="" type="radio"/> <input checked="" type="radio"/> <input type="radio"/>
Cutting	<input checked="" type="radio"/> <input checked="" type="radio"/> <input checked="" type="radio"/>

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

Cultivation notes

New sowing	35 - 40 kg/ha
Overseeding	20 - 25 kg/ha
Usage per year	3 - 4

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.