



## COUNTRY G 2018

For higher altitudes, intensive

Mixture for high use intensities and a high basic ration

### Profile

Mixture for intensive use with broad site suitability, especially at higher altitudes. Winterhardy species and varieties ensure high cultivation safety and have special recommendation for southern Germany. The white clover fixes atmospheric nitrogen and increases the elasticity of use.

The white clover seeds are treated with DSV's DynaSeed LegumeMaxx, which contains among others species-specific bacteria. [DynaSeed LegumeMaxx](#) demonstrably and significantly improves nitrogen fixation, root development, and thus yield.

- ✓ Winterhardy and persistent
- ✓ With White clover for N-fixation
- ✓ For intensive use



## Components

40%	Lolium perenne (intermediate) Alligator, Explosion
25%	Lolium perenne (late) Hurricane, Valerio
10%	Lolium perenne (early) Watson, Mirtello
10%	Phleum pratense Aturo
10%	Poa pratensis Liblue
5%	Trifolium repens Bianca, Liflex

If individual varieties are not available, they are replaced by equivalent ones.

## Sowing pattern

New sowing, Overseeding

## Locations

Dry	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
Normal	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Wet	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Peat Soil	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Altitude	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>

## Usage

Grazing	+++
Grazing and cutting	+++
Cutting	+++

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

## Cultivation notes

New sowing	35 - 40 kg/ha
Overseeding	15 - 20 kg/ha
Overseeding, several times per year	7 - 10 kg/ha
Usage per year	3 - 5
Usage	recommended for high altitudes

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.