



COUNTRY GRASSLAND 2470 ORGANIC

Cutting and grazing

Profile

COUNTRY Grassland 2470 is a mixture consisting of perennial ryegrass, red- and white clover and is especially suited for perennial organic field forage cultivation on all ryegrass-compatible sites. It is characterized by rapid youth development, high protein yield and high forage quality. Besides using it for cutting, it is also possible to use it for grazing, green manure and overseeding of red and white clover.

- ✓ High protein content
- ✓ High forage quality
- ✓ For overseeding red and white clover



Components

35%	Lolium perenne (intermediate) AstonHockey , Explosion
35%	Lolium perenne (late) Sherlock , Valerio
20%	Trifolium pratense Harmonie , Milvus , Taifun
10%	Trifolium repens Bianca , Liflex

Sowing pattern

New sowing, Overseeding

Locations

Dry	⊕ ○ ○
Normal	⊕ ⊕ ⊕
Wet	⊕ ⊕ ⊕
Peat Soil	⊕ ⊕ ○
Altitude	⊕ ⊕ ○

Usage

Grazing	⊕ ⊕ ⊕
Grazing and cutting	⊕ ⊕ ⊕
Cutting	⊕ ⊕ ⊕
Extensive usage	⊕ ⊕ ○

Fodder values

Energy density	⊕ ⊕ ⊕
Digestibility	⊕ ⊕ ⊕
Protein	⊕ ⊕ ⊕

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

Cultivation notes

New sowing	30 - 35 kg/ha	
Overseeding	15 - 20 kg/ha	
Overseeding, several times per year	7 - 10 kg/ha	
Sowing time	from April to September	
Usage per year	4 - 5	
Usage	More than 50% legumes in the seed content	

All organic mixtures are produced with 100 % organic content, if possible, in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022. We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for German ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.