



## COUNTRY GRASSLAND 2471 ORGANIC

### Clover grass cutting

#### Profile

This mixture is especially suited for perennial cutting and the balanced composition of different grass and clover species delivers good yields and quality. Due to its uniform regrowth behavior, this mixture is suitable for summer stable feeding, new sowing of pastures and field forage. Red- and white clover supply the necessary nitrogen for the growth.

- Top-grass accentuated
- With red and white clover
- For new sowing grassland or field forage




#### Components

30%	Lolium perenne (intermediate) <a href="#">AstonHockey</a> , <a href="#">Explosion</a>
30%	Festuca pratensis <a href="#">Baltas</a> , <a href="#">Schwetra</a>
25%	Trifolium pratense <a href="#">Harmonie</a> , <a href="#">Milvus</a> , <a href="#">Taifun</a>
10%	Phleum pratense <a href="#">Aturo</a>
5%	Trifolium repens <a href="#">Bianca</a> , <a href="#">Liflex</a>


## Sowing pattern

New sowing


## Locations



## Usage



## Fodder values



+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

## Cultivation notes

New sowing	20 - 25 kg/ha
Sowing time	from April to August
Usage per year	3 - 4

*All organic mixtures are produced with 100 % organic content, if possible, in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022. We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for German ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.*

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.