



# COUNTRY FIELD FORAGE 2481 ORGANIC

Alfalfa grass sandy soils

## Profile

This mixture is especially suited for dry and heterogeneous soils. COUNTRY Field forage 2481 is drought resistant because of its deep roots and can be conserved as silage or hay. The high content of Alfalfa in combination with Cocksfoot, Meadow fescue, Festulolium and White Clover delivers good yields with a high nutritional value.

- ✓ High protein forage
- ✓ For light and heterogeneous sites
- ✓ Good ensilability



## Components

68%	Medicago sativa Planet , EU-variety
10%	Festulolium Fedoro
10%	Dactylis glomerata Lidacta
10%	Festuca pratensis Liherold
2%	Trifolium repens Bianca, Liflex

## Sowing pattern

New sowing

## Locations

Dry	<div><div>+</div><div>+</div><div>+</div></div>
Normal	<div><div>+</div><div>+</div><div></div></div>
Wet	<div><div>+</div><div></div><div></div></div>
Peat Soil	<div><div></div><div></div><div></div></div>
Altitude	<div><div>+</div><div></div><div></div></div>

## Usage

Grazing	<div><div></div><div></div><div></div></div>
Grazing and cutting	<div><div></div><div></div><div></div></div>
Cutting	<div><div>+</div><div>+</div><div>+</div></div>
Extensive usage	<div><div>+</div><div>+</div><div>+</div></div>

## Fodder values

Energy density	<div><div>+</div><div>+</div><div></div></div>
Digestibility	<div><div>+</div><div>+</div><div></div></div>
Protein	<div><div>+</div><div>+</div><div></div></div>

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

## Cultivation notes

New sowing	25 - 30 kg/ha
Sowing time	from April to August
Usage per year	3 - 4
Usage	More than 50% legumes in the seed content

*All organic mixtures are produced with 100 % organic content, if possible, in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022. We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for German ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.*

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.