

COUNTRY FIELD FORAGE 2480 ORGANIC

Alfalfa grass perennial



Profile

CONTRY Field forage 2480 is able to deliver high yields with excellent fodder quality. Meadow fescue and Timothy are good partners for Alfalfa and improve the balance between protein and energy content of the yields. The deep root systems ensures supply of important nutrients even when conditions are dry.

- ✓ 80 % Alfalfa
- ✓ High protein content
- ✓ High yields and qualities



Components

80%	Medicago sativa Fleetwood, Planet , EU-variety
5%	Phleum pratense Aturo
15%	Festuca pratensis Liherold

Sowing pattern

New sowing

Locations

Dry	<div><div>+</div><div>+</div><div>+</div></div>
Normal	<div><div>+</div><div>+</div><div>+</div></div>
Wet	<div><div>+</div><div>+</div><div></div></div>
Peat Soil	<div><div>-</div><div></div><div></div></div>
Altitude	<div><div>+</div><div></div><div></div></div>

Usage

Grazing	<div><div>-</div><div></div><div></div></div>
Grazing and cutting	<div><div>-</div><div></div><div></div></div>
Cutting	<div><div>+</div><div>+</div><div>+</div></div>
Extensive usage	<div><div>+</div><div>+</div><div>+</div></div>

Fodder values

Energy density	<div><div>+</div><div>+</div><div></div></div>
Digestibility	<div><div>+</div><div>+</div><div>+</div></div>
Protein	<div><div>+</div><div>+</div><div>+</div></div>

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

Cultivation notes

New sowing	20 - 25 kg/ha
Sowing time	from April to August
Usage per year	3 - 4
Usage	More than 50% legumes in the seed content

All organic mixtures are produced with 100 % organic content, if possible, in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022. We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for German ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.