



## COUNTRY FIELD FORAGE 2484 ORGANIC

Clover grass perennial

### Profile

The balanced composition of COUNTRY Field forage 2484 is ideal for cutting. The different types of ryegrass along with red clover are able to ensure nutritional value and high yields up to three years. The mixture provides good green fodder and is also suitable for high-quality silage.

The red clover seeds are treated with DSV's DynaSeed LegumeMaxx, which contains among others species-specific bacteria. [DynaSeed LegumeMaxx](#) demonstrably and significantly improves nitrogen fixation, root development, and thus yield.

- ✓ High yields from the first cut onwards
- ✓ Perennial use
- ✓ High protein content



### Components

30%	Lolium perenne (intermediate) <a href="#">AstonHockey</a> , <a href="#">Explosion</a>
25%	Trifolium pratense <a href="#">Harmonie</a> , <a href="#">Milvus</a> , <a href="#">Taifun</a>
23%	Lolium hybridum <a href="#">AstonCrusader</a>
22%	Italian ryegrass <a href="#">Dolomit*</a>

\* also suitable for intercropping, yield in 1st cut above average.

## Sowing pattern

New sowing

### Locations

Dry



Normal



Wet



Peat Soil



Altitude



### Usage

Grazing



Grazing and cutting



Cutting



Extensive usage



### Fodder values

Energy density



Digestibility



Protein



+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

## Cultivation notes

<b>New sowing</b>	35 - 40 kg/ha
<b>Sowing time</b>	from April to August
<b>Usage per year</b>	4 - 6

*All organic mixtures are produced with 100 % organic content in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022.*

*We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for perennial ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.*

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.