# **COUNTRY FIELD FORAGE 2485 ORGANIC**



Clover grass 1-2 years

### Profile

COUNTRY Field forage 2485 is a combination of Italian ryegrass and Red clover and produces high yields with high crude protein content. The use of winterhardy varieties of Italian ryegrass make a two year use possible. The high content of Red clover fixes nitrogen and is a good partner for organic crop rotation.

- ✓ High yielding
- ✓ High protein content through high clover share
- ✓ N-fixation



## Components

| 60% | Italian ryegrass Dolomit*, Lipsos*          |
|-----|---|
| 40% | Trifolium pratense Harmonie, Milyus, Taifun |

<sup>\*</sup> also suitable for intercropping, yield in 1st cut above average

# Sowing pattern

New sowing

#### Locations

| Dry       |       |
|-----------|-------|
| Normal    | + + + |
| Wet       | + + + |
| Peat Soil |       |
| Altitude  |       |



## Usage

| Grazing  | 1                    | •         |  |  |
|--|----------------------|-----------|--|--|
| Grazing and cutting  | 1                    | +         |  |  |
| Cutting  | (                    | +   +   + |  |  |
| Extensive usage  | (                    | •         |  |  |
|  |                      |           |  |  |
| Fodder values  |                      |           |  |  |
| Energy density   | I                    | + + +     |  |  |
| Digestibility  | 1                    | + + +     |  |  |
| Protein  | (                    | + + + +   |  |  |
| +++ = highly suitable   ++ = suitable   + = conditionally suitable   - = not given |                      |           |  |  |
| Cultivation notes  |                      |           |  |  |
| New sowing   | 35 - 40 kg/ha        |           |  |  |
| Sowing time  | from April to August |           |  |  |

All organic mixtures are produced with 100 % organic content, if possible, in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022. We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for German ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.

4 - 6

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.



Usage per year