

# COUNTRY FIELD FORAGE 2483 ORGANIC

Clover-, alfalfa grass perennial



## Profile

COUNTRY Field Forage 2483 is a high yielding mixture for one-to-two years field forage cultivation. The high content of Red clover and Alfalfa supports nitrogen fixation and protein content and the ryegrass ensures high forage quality.

- ✓ N-fixation
- ✓ High protein content
- ✓ High forage quality



## Components

30%	Trifolium pratense Harmonie, Milvus, Taifun
20%	Lolium perenne (early) Mirtello
20%	Italian ryegrass Kingsgreen*
20%	Lolium hybridum AstonCrusader, Pirol
10%	Medicago sativa Planet , EU-variety

\* also suitable for intercropping, yield in 1st cut above average

## Sowing pattern

New sowing

## Locations

Dry	<div><div>+</div><div></div><div></div></div>
Normal	<div><div>+</div><div>+</div><div>+</div></div>
Wet	<div><div>+</div><div>+</div><div>+</div></div>
Peat Soil	<div><div>+</div><div></div><div></div></div>
Altitude	<div><div>+</div><div>+</div><div></div></div>

## Usage

Grazing	<div><div>+</div><div></div><div></div></div>
Grazing and cutting	<div><div>+</div><div></div><div></div></div>
Cutting	<div><div>+</div><div>+</div><div>+</div></div>
Extensive usage	<div><div>+</div><div></div><div></div></div>

## Fodder values

Energy density	<div><div>+</div><div>+</div><div>+</div></div>
Digestibility	<div><div>+</div><div>+</div><div>+</div></div>
Protein	<div><div>+</div><div>+</div><div>+</div></div>

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

## Cultivation notes

New sowing	30 - 35 kg/ha
Sowing time	from April to August
Usage per year	3 - 5

All organic mixtures are produced with 100 % organic content, if possible, in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022. We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for German ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.