

COUNTRY GRASSLAND 2464 ORGANIC

Universal



Profile

The balanced composition of COUNTRY Grassland 2464 provides good persistence and winter hardiness. The mixture is universally usable on different locations and delivers a good nutrition value.

- ✓ Broad site suitability
- ✓ High sward density
- ✓ Good winterhardiness



Components

20%	Lolium perenne (intermediate) Euroconquest, Explosion
20%	Lolium perenne (late) Sherlock
17%	Lolium perenne (early) Karatos, Mirtello
17%	Phleum pratense Aturo, Lischka
20%	Festuca pratensis Preval
6%	Trifolium repens Bianca, Liflex

Sowing pattern

New sowing, Overseeding (only for high gap ratios in the sward)

Locations

Dry	<div><div>+</div><div>+</div><div></div></div>
Normal	<div><div>+</div><div>+</div><div>+</div></div>
Wet	<div><div>+</div><div>+</div><div>+</div></div>
Peat Soil	<div><div>+</div><div>+</div><div></div></div>
Altitude	<div><div>+</div><div>+</div><div></div></div>

Usage

Grazing	<div><div>+</div><div>+</div><div></div></div>
Grazing and cutting	<div><div>+</div><div>+</div><div>+</div></div>
Cutting	<div><div>+</div><div>+</div><div></div></div>
Extensive usage	<div><div>+</div><div></div><div></div></div>

Fodder values

Energy density	<div><div>+</div><div>+</div><div></div></div>
Digestibility	<div><div>+</div><div>+</div><div></div></div>
Protein	<div><div>+</div><div></div><div></div></div>

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

Cultivation notes

New sowing	35 - 40 kg/ha	
Overseeding	20 - 25 kg/ha	Only with high gap ratios
Sowing time	from March to September	
Usage per year	3 - 4	

All organic mixtures are produced with 100 % organic content, if possible, in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022. We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for German ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.