



## COUNTRY GRASSLAND 2462 ORGANIC

### Peat soils and higher altitudes

#### Profile

In this mixture we use special varieties of perennial ryegrass that have been tested on peat soils. These varieties convince by their extraordinary persistence and winter hardiness. Adding Timothy makes COUNTRY Grassland 2462 a suitable partner for moist and hilly areas, and in combination with white clover a swift sward density is provided. The white clover also makes it more palatable and it fixes nitrogen. With regular overseeding, the forage quality of pastures is maintained or even improved.

The white clover seeds are treated with DSV's DynaSeed LegumeMaxx, which contains among others species-specific bacteria. [DynaSeed LegumeMaxx](#) demonstrably and significantly improves nitrogen fixation, root development, and thus yield.

- ✓ High yields and quality
- ✓ Peat soil suitability
- ✓ Timothy for winterhardiness



#### Components

30%	Lolium perenne (early) <a href="#">Karatos</a> , <a href="#">Mirtello</a>
25%	Lolium perenne (intermediate) <a href="#">Euroconquest</a> , <a href="#">Explosion</a>
25%	Lolium perenne (late) <a href="#">Sherlock</a> , <a href="#">Valerio</a>
13%	Phleum pratense <a href="#">Aturo</a> , <a href="#">Lischka</a>
7%	Trifolium repens <a href="#">Bianca</a> , <a href="#">Liflex</a>

## Sowing pattern

New sowing, Overseed, Overseeding

### Locations

Dry



Normal



Wet



Peat Soil



Altitude



### Usage

Grazing



Grazing and cutting



Cutting



Extensive usage



### Fodder values

Energy density



Digestibility



Protein



+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

## Cultivation notes

<b>New sowing</b>	35 - 40 kg/ha
<b>Overseeding</b>	15 - 20 kg/ha
<b>Overseeding, several times per year</b>	7 - 10 kg/ha
<b>Sowing time</b>	from March to September
<b>Usage per year</b>	3 - 5
<b>Usage</b>	suitable for bog sites

*All organic mixtures are produced with 100 % organic content in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022.*

*We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for perennial ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.*

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.