COUNTRY GRASSLAND 2462 ORGANIC



Peat soils and higher altitudes

Profile

In this mixture we use special varieties of perennial ryegrass that have been tested on peat soils. These varieties convince by their extraordinary persistence and winter hardiness. Adding Timothy makes COUNTRY Grassland 2462 a suitable partner for moist and hilly areas, and in combination with white clover a swift sward density is provided. The white clover also makes it more palatable and it fixes nitrogen. With regular overseeding, the forage quality of pastures is maintained or even improved.

- ✓ High yields and quality
- ✓ Peat soil suitability
- ✓ Timothy for winterhardiness



Components

| 30% | Lolium perenne (early) Karatos, Mirtello |
|-----|---|
| 25% | Lolium perenne (intermediate) Euroconquest, Explosion |
| 25% | Lolium perenne (late) Sherlock, Valerio |
| 13% | Phleum pratense Aturo, Lischka |
| 7% | Trifolium repens Bianca, Liflex |

Sowing pattern

New sowing, Overseed, Overseeding



Locations

| Dry | | | |
|--|---------------|-------|--|
| Normal | | • • | |
| Wet | | + + + | |
| Peat Soil | | + + + | |
| Altitude | | + + + | |
| Usage | | | |
| Grazing | | | |
| Grazing and cutting | | + + + | |
| Cutting | | + + + | |
| Extensive usage | | | |
| Fodder values | | | |
| Energy density | | | |
| Digestibility | | + + | |
| Protein + + | | | |
| +++ = highly suitable ++ = suitable + = conditionally suitable - = not given | | | |
| Cultivation notes | | | |
| New sowing | 35 - 40 kg/ha | | |
| Overseeding | 15 - 20 kg/ha | | |
| Overseeding, several times per year | 7 - 10 kg/ha | | |

All organic mixtures are produced with 100 % organic content, if possible, in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022. We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one

from March to September

suitable for bog sites

3 - 5



Sowing time

Usage

Usage per year

species and for German ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.

