

# LIRINA

Blue flowering and deep rooting

Linseed

## Profile

The variety Lirina convinces with its medium to high yield potential and its high oil content. In the national variety trials, it is one of the top varieties. In addition, Lirina has favourable agronomic properties and is characterised by a high compensation capacity. This makes it one of the top oilseed varieties in Germany.

- ✓ Medium-early heading
- ✓ Good drought tolerance
- ✓ Good competitiveness

## Agronomic properties

Beginning of flowering	<div><div></div><div></div><div></div><div></div><div>(5)</div><div></div><div></div><div></div><div></div></div>	(inter)
Flower colour	<div><div></div><div></div><div>(3)</div><div></div><div></div><div></div><div></div><div></div><div></div></div>	(blue)
Full growth height	<div><div></div><div></div><div></div><div></div><div>(5)</div><div></div><div></div><div></div><div></div></div>	(medium)

## Yield characteristics

Oil yield	<div><div></div><div></div><div></div><div></div><div></div><div></div><div>(7)</div><div></div><div></div></div>	(high)
Population density	<div><div></div><div></div><div></div><div>(4)</div><div></div><div></div><div></div><div></div><div></div></div>	(low to medium)
Grain number in capsule	<div><div></div><div></div><div></div><div></div><div></div><div>(6)</div><div></div><div></div><div></div></div>	(medium to high)
Thousand grain mass	<div><div></div><div></div><div>(3)</div><div></div><div></div><div></div><div></div><div></div><div></div></div>	(low)
Stability	<div><div></div><div></div><div></div><div></div><div>(5)</div><div></div><div></div><div></div><div></div></div>	(medium)

Classification according to our own results.

## Locations

All

## Special characteristics

Medium-early, very yield-stable variety with high oil content.

## Sowing

normal conditions: 400 grains/m<sup>2</sup>, approx. 50 kg/ha, unfavourable conditions, late: 450 grains/m<sup>2</sup>, approx. 55 kg/ha

## Sowing date

End of March to Mid-May, soil temperature approx. 8 - 10°C

## Fertilization

40 - 50 kg/ha P<sub>2</sub>O<sub>5</sub>

80 -120 kg/ha K<sub>2</sub>O

20 - 30 kg/ha MgO

N target value 80 kg/ha (N<sub>min</sub> + fertilisation)

Herbicide: early elimination of weed competition important

Insecticide: check for fleas during the emergence phase.

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.