



LIVIOLETTA

FIELD PEA

Top variety for green manuring and forage use

Profile

LIVIOLETTA is one of the top field pea varieties for green manuring and forage. It shows good standing ability and produces a high protein content and high dry matter yields. A low thousand grain weight reduces sowing costs. This variety is excellent for cover cropping.

- ✓ One of the top pea varieties for green manuring or forage use
- ✓ Less prone to lodging
- ✓ High protein contents and dry matter yields



General

Green fertilizer	✓
Usa as fodder	✓
Cutting	✓
Grazing	✓

Agronomic properties

Leaflets	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input checked="" type="radio"/> 9	available
Flower colour	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	blue
Grain colour	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	olive green
Early growth development	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input checked="" type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	medium to strong
Beginning of flowering	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	inter
Tendency to lodging	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input checked="" type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	low to medium
Dry matter yield total	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input checked="" type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	medium to high

Tends to

Lodging	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input checked="" type="radio"/> (4) <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(low to medium)
---------	--	-----------------

Yield characteristics

Thousand grain mass	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> (3) <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	(low)
---------------------	--	-------

Classification according to the descriptive variety list - Bundessortenamt (federal plant variety office, Germany) 2025 and our own results.

Special characteristics

For all soils; very undemanding; very good, deep rooting; provides protein-rich forage

Sowing

140 - 160 kg/ha

Sowing date

as cover crop: beginning of July to mid-August

for forage production: mid-March to end of April

Usage

Pasture, cutting, cover cropping

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.