



LINKARUS

CRIMSON CLOVER

Suitable for multiple uses

Profile

LINKARUS is an overwintering crimson clover with many uses (fallow, forage, green manuring). LINKARUS is characterised by its fast growth, intermediate flowering and mass of fibrous roots and dense foliage.

National listing/Official recommendation:
BY, DE

- ✓ Characterised by fast growth
- ✓ Intermediate flowering
- ✓ Medium plant length



General

| | |
|------------------|---|
| Green fertilizer | ✓ |
| Use as fodder | ✓ |
| Cutting | ✓ |
| Grazing | ✓ |

Agronomic properties

| | | |
|--------------------------|--|--------|
| Beginning of flowering | <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9 | inter |
| Early growth development | <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9 | medium |

Tends to

| | | |
|---------------|--|--------|
| Winter damage | <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9 | medium |
| Lodging | <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9 | medium |

Yield characteristics

| | | |
|----------------------------|--|--------|
| Dry matter yield - 1st cut | <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9 | medium |
|----------------------------|--|--------|

Classification according to the descriptive variety list - Bundessortenamt (federal plant variety office, Germany) 2024 and our own results.

Quality

| | | |
|-----------------------|--|--------|
| Crude protein content | <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9 | medium |
|-----------------------|--|--------|

Sowing

25 - 30 kg/ha

Sowing date

beginning of July to mid-August

Usage

cover crop, forage

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.