



## COUNTRY G 2015

### Permanent meadow for dry sites

Mixture for extensive meadows on dry sites with white clover

### Profile

*Festuca pratensis*, *Festuca rubra rubra* and *Phleum pratense* provide good winter hardiness and persistency to this mixture. *Festuca rubra rubra* and *Poa pratensis* close gaps in the sward due to rhizome development. *Trifolium pratense* and *Trifolium repens* increase palatability, protein yield and N-fixation.

The legumes are treated with DSV's DynaSeed LegumeMaxx, which contains among others species-specific bacteria. [DynaSeed LegumeMaxx](#) demonstrably and significantly improves nitrogen fixation, root development, and thus yield.

- ✓ Robust and dense sward
- ✓ Clovers for N-fixation



## Components

25%	Festuca pratensis Baltas
10%	Lolium perenne (early) Mirtello
10%	Lolium perenne (intermediate) Alligator
10%	Lolium perenne (late) Hurricane
10%	Poa pratensis Lato
10%	Festuca rubra Rafael
10%	Trifolium repens Bianca, Liflex
10%	Trifolium pratense Milvus, Harmonie
5%	Phleum pratense Radde

If individual varieties are not available, they are replaced by equivalent ones.

## Sowing pattern

New sowing

## Locations

Dry	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Normal	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
Wet	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
Peat Soil	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Altitude	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>

## Usage

Grazing	
Grazing and cutting	
Cutting	

+++ = highly suitable | ++ = suitable | + = conditionally suitable | - = not given

## Cultivation notes

New sowing	25 - 30 kg/ha
Overseeding	10 - 15 kg/ha
Usage per year	3 - 4

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.