



COUNTRY GRASSLAND 2472 ORGANIC

Meadow higher altitudes

Profile

COUNTRY Grassland 2472 is a grassland mixture consisting of varieties recommended in southern Germany for more cultivation security in higher altitudes through winterhardy species. The choice of varieties achieves high performance in yield and forage quality as well as high sward density.

The legumes are treated with DSV's DynaSeed LegumeMaxx, which contains among others species-specific bacteria. [DynaSeed LegumeMaxx](#) demonstrably and significantly improves nitrogen fixation, root development, and thus yield.

- ✓ Varieties with special German recommendation for higher altitudes
- ✓ Winterhardy species and varieties
- ✓ High performance in yield and quality



Components

25%	Lolium perenne (intermediate) AstonHockey, Explosion
20%	Lolium perenne (early) Mirtello
20%	Lolium perenne (late) Valerio
20%	Phleum pratense Aturo, Lischka
5%	Dactylis glomerata Rosseur
5%	Trifolium pratense Harmonie, Milvus, Taifun
5%	Trifolium repens Bianca, Liflex

Sowing pattern

New sowing, Overseeding, Overseed

Locations

Dry	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
Normal	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Wet	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Peat Soil	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Altitude	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>

Cultivation notes

New sowing	35 - 40 kg/ha
Overseeding	20 - 25 kg/ha
Overseeding, several times per year	7 - 10 kg/ha
Sowing time	from March to September
Usage per year	3 - 6
Usage	recommended for high altitudes

All organic mixtures are produced with 100 % organic content in accordance with the EU Organic Farming Regulation 2018/848. For mixtures with at least 70% organic content, the farmer must obtain approval from his inspection body for the use of the conventional content before sowing, starting with production in January 2022.

We aim to use at least 2 varieties per ripening group for mix proportions of more than 20 % of one species and for perennial ryegrass. The choice of varieties may vary depending on production. If individual species or varieties are not available, they are replaced by equivalent ones. The seed strengths are calculated for an optimal seedbed; in case of poor external conditions - such as insufficient seedbed, late sowing date, insufficient nutrient supply and unfavourable weather - the seed strengths should be adjusted upwards.

All information, recommendations and representations contained herein are made to the best of our knowledge and belief, but without guarantee of completeness or accuracy. We cannot guarantee that the properties described are repeatable. All information is provided as an aid to decision-making. Deutsche Saatveredelung AG will not be held liable for any damage or claims for damages resulting from the use of the variety specified in this description. Mixtures may vary if individual varieties are not available. Status 12/2024. Subject to change without prior notice.